



GE Power Controls

NEW *Switches and socket-outlets*
IP65 Watertight and dustproof



Sintra 65



Monoblock range

Single switches	Description	Ref. No.	Pack.
	Single switch	584100	10
	16A single switch	584101	10
	Changeover	584102	10
	2 pole switch I-O	584103	10
	Intermediate	584104	10
	Single switch with pilot lamp	584105	10
	Changeover with pilot lamp	584106	10
	Intermediate with pilot lamp	584107	10
	Single switch with control lamp	584108	10
	Single switch with illuminated label holder (pilot)	584109	10
	Changeover with illuminated label holder (pilot)	584110	10
	Intermediate with illuminated label holder (pilot)	584111	10
	Single switch with illuminated label holder (control)	584112	10
	Remark: Pilot: lamp NOT operated by switch Control: lamp operated by switch		
	2 x single switch	584113	10
	2 x changeover	584114	10
	Push-button without symbol	584115	10
	Push-button with bell symbol	584116	10
	Push-button with lamp symbol	584117	10
	Push-button with pilot lamp	584118	10
	Push-button with bell symbol & pilot lamp	584119	10
	Push-button with lamp symbol & pilot lamp	584120	10
	Push-button with illuminated label holder (w/o symbol)	584121	10
	Push-button with illuminated label holder (with bell symbol)	584122	10
	Push-button with illuminated label holder (with lamp symbol)	584123	10
		Schuko with child protection (ceramic)	584151
French socket with child protection (ceramic)		584152	10
	Push-button for shutters & fans	584124	5
	Switch with interlock for shutters	584130	5
	Key switch (2 positions, 2 NC contacts)	584140*	1
	Key switch (3 positions, I-O-II 2 NC contacts)	584141*	1
	Emergency push-button (1 NC contact)	584153*	1
	Emergency push-button (NO/NC) with key interlock	584154*	1
	Emergency push-button (NO/NC) with revolution interlock	584155*	1
	Transparent pilot lamp	584162*	1
	Red pilot lamp	584163*	1
Green pilot lamp	584164*	1	
	Transparent cover for pilot lamp	584165*	5
	Red cover for pilot lamp	584166*	5
	Green cover for pilot lamp	584167*	5
	Lamp 230V, 7W	584168*	5
	Lamp 24V, 5W	584169*	5
	Double horizontal box	584300	5
	Joint-piece for vertical setup	584301	5
	Single box	584303	10
	Cable entry piece	584304	10

Availability: Q3 2003


Easy wiring entry




Modern look




IP65 membrane



Easy installation




Ample space for wiring



Illuminated label holder



Flexible fixation



Perfect protection also for socket-outlet



***For all outdoor applications
IP65 Watertight and dustproof***



***Parkings
Garages***



Warehouses



***Balconies
Chalets
Gardens***



***Swimming
pools
Campings
Saunas
Gymnasiums***



***Car wash
tunnels***



***Humid
places***



***Shopping
centers***

Externals

GE POWER CONTROLS
International Sales
Guldensporenpark 30
B-9820 Merelbeke (Gent)
Belgium

Tel. +32/9 210 38 11
Fax +32/9 210 39 20
E-mail: gecbel@gepc.ge.com
www.gpowercontrols.com

